









Identification	Wire cross section (mm ²)	Part number	
<p>Crimping tool, Han D®: 0.14 ... 2.5 mm², Han E®: 0.14 ... 4 mm², Han-Yellock®: 0.14 ... 4 mm², Han® C: 1.5 ... 4 mm², The high end tool with best performance. Range of delivery: locator included, handling instruction For wire gauges from 0.14 und 0.25 mm² please use the contacts 09150006107, 6207, 6127 or 6227.</p> <p>for optional testing</p>	<p>0.14 – 4</p>	<p>09 99 000 0888</p>	
<p>Han D®, Han E®, Han-Yellock®, Han® C, Locator for crimp tool, as spare part</p>		<p>09 99 000 0889</p> <p>09 99 000 0887</p>	

Identification	Wire cross section (mm ²)	Part number	
<p>Han-<i>Yellock</i>®, Locator for crimp tool</p>		09 99 000 0341	
<p>HARTING standard crimping tool, Han D®: 0.14 ... 1.5 mm², Han E®: 0.5 ... 4 mm², Han-<i>Yellock</i>®: 0.5 ... 4 mm², Han® C: 1.5 ... 4 mm², Robust allrounder with very good performance. Range of delivery: locator included, Han D®, Han E®, Han® C, Please order Han-<i>Yellock</i>® separately!</p>	0.14 – 4	09 99 000 0110	
<p>Han D®, Han E®, Han® C, Locator for crimp tool, as spare part</p>		09 99 000 0376	

Identification	Wire cross section (mm ²)	Part number	
<p>Han- <i>Yellock</i>®, Locator for crimp tool</p>		09 99 000 0343	
<p>HARTING Service crimping tool, Han D®: 0.14 ... 1.5 mm², Han E®: 0.5 ... 2.5 mm², Han- <i>Yellock</i>®: 0.5 ... 2.5 mm², The service tool for on-site maintenance.</p> <p>Range of delivery: locator included, Han D®, Han E®. Please order Han- <i>Yellock</i>® separately!</p>	0.14 – 2.5	09 99 000 0021	
<p>Han D®, Han E®, Locator for crimp tool, as spare part</p>		09 99 000 0022	

Identification	Wire cross section (mm ²)	Part number	
<p>HARTING crimping tool, Han® C: 4 ... 10 mm², The professional tool for a wide contact range.</p> <p>Range of delivery: locator included, Han® C</p>	4 – 10	09 99 000 0303	
<p>Han® C, Locator for crimp tool, as spare part</p>		09 99 000 0304	
<p>Locator for crimp tool, Han E®: 5.5 mm²</p>		09 99 000 0306	
<p>Locator for crimp tool, Han-<i>Yellock</i>® PE, contacts 6 + 10 mm²</p>		09 99 000 0845	

Identification	Wire cross section (mm ²)	Part number	
<p>HARTING crimping tool, Han[®] C: 6 ... 10 mm², The professional tool for big wire cross section. Range of delivery: locator included</p>	6 - 10	09 99 000 0377	